

Insert Dealer Logo

ORDER

QUOTE



Version 37 -August 8 2023

Date: _____
 End User: _____
 Work Order Number: _____

Sales Person: _____
 Customer PO: _____
 Request Delivery Date: _____

SIDE DUMP V Max II Tri Axle Lead

o/a Height 9' 10"
 o/a Length 35' 10"
 Axle spread 60"
 King pin setting 15" is Std
 King pin height 50"
 Wall height 54"
 RTAC compliant Yes



Base spec / to base model

Body Capacity - 20 cubic yard capacity
 Box Front & Wall - Hardox 450, 1/8"
 Box Sides & Floor - Hardox 450, 1/8"
 Top Rail - Formed top rail
 Suspension -Hendrickson Intraax 250, 25,000 pound capacity per suspension
 Axles - 77 inch track, 25,000 pound capacity per axle
 Wheels - Unimount 10 hole wheels with light weight hubs and drums, 8.25x22.5
 Tires - BF Goodrich, Cross Control, 11Rx22.5 radial tires / Firestone T 819
 ABS 2 sensor, 1 module
 Steps - between 1st and 2nd axles
 Aluminum 1/2 round fenders
 Liners cannot be installed on any side dump boxes

CATEGORY	Weight	PART NUMBER
----------	--------	-------------

BOX POSITION

<input checked="" type="checkbox"/> Std Box	16380 lbs	0
---	-----------	---

TARPS

Tarp Colour - If colour is not specified tarp will be black

<input type="checkbox"/> Electric Side Kicker Tarp BLACK MESH with aluminum arms & roll tube	
<input checked="" type="checkbox"/> Electric Side Kicker Tarp BLACK VINYL with aluminum arms & roll tube	
<input type="checkbox"/> Wire for electric tarp to rear unit, lead units only	
<input checked="" type="checkbox"/> Side Kicker Tarp Hood / Cap	
<input checked="" type="checkbox"/> Over Tarp Caps <input type="checkbox"/> Between Tarp Caps	

AR-0900100
 A5XWIREELECTARP
 MISC

LIGHT

<input type="checkbox"/> Incandescent Lights	<input checked="" type="checkbox"/> LED lights
--	--

A5XKIT201VM2LD

SUSPENSION

<input type="checkbox"/> 1 axle auto deploy lift kit	
<input type="checkbox"/> 2 axle auto deploy lift kit (simultaneous)	

Lift Location

A5XKITEA3010A-D

TIRES AND RIMS

<input checked="" type="checkbox"/> 11R22.5 Tires
<input type="checkbox"/> 11R24.5 Tires
<input checked="" type="checkbox"/> Cooper Road Master RM 230 HH

Steel wheels unless otherwise noted

A9X1611006

Steel Aluminum look-alike	
Aluminum Machined	
Aluminum Polished	

A9X160883620

MUDFLAPS

<input type="checkbox"/> Mud flaps, frame mounted, 2 in front of suspension

CATEGORY	Weight	PART NUMBER
Work Order #		

OPTIONS

<input checked="" type="checkbox"/>	22ft Box in Lieu of a 20ft - upcharge		
<input checked="" type="checkbox"/>	Two speed crank down legs V Max II option		A5XSA072200
<input type="checkbox"/>	Hubodometer for 22.5 tire (installed on drivers side)	KMs	
<input type="checkbox"/>	Hubodometer for 24.5 tire (installed on drivers side)	KMs	
<input type="checkbox"/>	Vibrator, 12 volt DC3500		
<input type="checkbox"/>	Backup Alarm		
<input type="checkbox"/>	CHAIN HANGERS - U BOLT 3/4X5X17 RD		
<input type="checkbox"/>	Remote grease system for Tri Axle		
<input checked="" type="checkbox"/>	Black Plastic Fenders		A9X46010000
<input type="checkbox"/>	Manitoba Safety Inspection		
<input type="checkbox"/>	PDI		

QUOTED OPTIONS

<input checked="" type="checkbox"/>	Sheeted in Corners
<input checked="" type="checkbox"/>	bank of 4 mudflaps in front of suspension
<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	

Std. Box Colour

<input type="checkbox"/>	White CLR 21971
<input type="checkbox"/>	Silver CLR 17752
<input checked="" type="checkbox"/>	Black CLR 14808

Std. Frame Colour

<input checked="" type="checkbox"/>	Black CLR 14808
-------------------------------------	-----------------

Box colour
 Frame colour
 Board colour
 Stripe
 Tier

BOX COLOUR	PAINT CODE
Red	SW00567

LBS
 KG

NOTES:

Purchaser's Signature _____ Date _____

Insert Dealer Logo

ORDER



QUOTE


Version 37 - April 11 2023

Date: _____
End User: _____
Work Order Number: _____

Sales Person: _____
Customer PO: _____
Request Delivery Date: _____

SIDE DUMP V Max II TDM Axle Rear

o/a Height 9' 5"
o/a Length 28' 6"
Axle spread 50"
King pin setting 15" is Std
King pin height 46"
Wall height 54"
RTAC compliant Yes



Base spec / to base model

Body Capacity - 20 cubic yard capacity
Box Front & Rear Wall- Hardox 450, 1/8"
Box Sides & Floor - Hardox 450, 1/8"
Top Rail - Formed top rail
Suspension - Hendrickson Intraax 250, 25,000 pounds capacity per suspension
Axles - 77 inch track, 25,000 pound capacity per axle
Wheels - Unimount 10 hole wheels with light weight hubs and drums, 8.25x22.5
Tires - BF Goodrich, Cross Control, 11Rx22.5 radial tires / Firestone T 819
ABS 2 sensor, 1 module
Steps - between 1st and 2nd axles
Aluminum 1/2 Round Fenders
Liners cannot be installed on any side dump boxes

CATEGORY	Weight	PART NUMBER
----------	--------	-------------

BOX POSITION

<input checked="" type="checkbox"/> V Max II TDM Axle Rear	16380 lbs	A5XSC032300
--	-----------	-------------

TARPS

Tarp Colour - If colour is not specified tarp will be black

<input type="checkbox"/> Electric Side Kicker Tarp BLACK MESH with aluminum arms & roll tube		A5X0900100 MISC
<input checked="" type="checkbox"/> Electric Side Kicker Tarp BLACK VINYL with aluminum arms & roll tube		
<input checked="" type="checkbox"/> Side Kicker Tarp Hood / Cap <input checked="" type="checkbox"/> Over Tarp Caps		
<input type="checkbox"/> Incandescent Lights	<input type="checkbox"/> Between Tarp Caps	A5XKIT201VM2LD
<input type="checkbox"/> LED lights	<input checked="" type="checkbox"/> LED lights	

SUSPENSION

Lift Location

<input type="checkbox"/> 1 axle auto deploy lift kit	
--	--

TIRES AND RIMS

<input checked="" type="checkbox"/> 11R22.5 Tires	A9X1611006
<input type="checkbox"/> 11R24.5 Tires	
<input checked="" type="checkbox"/> Cooper Road Master RM 230	
Steel wheels unless otherwise noted	A9X160883620
Steel Aluminum look-alike	
Aluminum Machined	
Aluminum Polished	<input type="checkbox"/>
	<input checked="" type="checkbox"/>
	<input type="checkbox"/>

MUDFLAPS

<input type="checkbox"/> Mud flaps, frame mounted, 2 in front of suspension

CATEGORY	Weight	PART NUMBER
Work Order #		

OPTIONS

<input checked="" type="checkbox"/>	22ft Box in lieu of 20ft - Upcharge		
<input checked="" type="checkbox"/>	Two speed crank down legs V Max II option		A5XSA072200
<input type="checkbox"/>	Hubodometer for 22.5 tire (installed on drivers side)	KMs	
<input type="checkbox"/>	Hubodometer for 24.5 tire (installed on drivers side)	KMs	
<input type="checkbox"/>	Vibrator, 12 volt DC3500		
<input type="checkbox"/>	Backup Alarm		
<input type="checkbox"/>	CHAIN HANGERS - U BOLT 3/4X5X17 RD		
<input type="checkbox"/>	Remote grease system for TDM Axle		
<input checked="" type="checkbox"/>	Black Plastic Fenders		A9X46010000
<input type="checkbox"/>	Manitoba Safety Inspection		
<input type="checkbox"/>	PDI		

QUOTED OPTIONS

<input checked="" type="checkbox"/>	Sheeted in Corners
<input checked="" type="checkbox"/>	4 mudflaps in front of suspension
<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	

<input type="checkbox"/>	Std. Box Colour
<input type="checkbox"/>	White CLR 21971
<input type="checkbox"/>	Silver CLR 17752
<input checked="" type="checkbox"/>	Black CLR 14808

<input type="checkbox"/>	Std. Frame Colour
<input checked="" type="checkbox"/>	Black CLR 14808

Box colour
 Frame colour
 Board colour
 Stripe
 Tier

<u>BOX COLOUR</u>	<u>PAINT CODE</u>
Red	SW00567

LBS
 KG

NOTES:

Purchaser's Signature _____ Date _____