Insert Dealer Logo

Date:

End User: Work Order Number:

SIDE DUMP V Max II Tri Axle Lead

o/a Height	9' 10"
o/a Length	35' 10"
Axle spread	60"
King pin setting	15" is Std
King pin height	50"
Wall height	54"
RTAC compliant	Yes
•	

Base spec / to base model

Body Capacity - 20 cubic yard capacity Box Front & Wall - Hardox 450, 1/8" Box Sides & Floor - Hardox 450, 1/8" Top Rail - Formed top rail Suspension -Hendrickson Intraax 250, 25,000 pound capacity per suspension Axles - 77 inch track, 25,000 pound capacity per axle Wheels - Unimount 10 hole wheels with light weight hubs and drums, 8.25x22.5 Tires - BF Goodrich, Cross Control, 11Rx22.5 radial tires / Firestone T 819 ABS 2 sensor, 1 module Steps - between 1st and 2nd axles Aluminum 1/2 round fenders

Liners cannot be installed on any side dump boxes


	CATEGORY		Weight	PART NUMBER
X	Std Box		16380 I	lbs 0
	TARPS	Tarp Colour - If colour is not specified tarp will be black		
	Electric Side Kicker Tarp BLACK MESH with aluminum arms & roll tube			
x	Electric Side Kicker Tarp BLACK VINYL with aluminum arms & roll tube			AR-0900100
X X	Wire for electric tarp to rear unit, lead units only Side Kicker Tarp Hood / Cap Over Tarp Caps Between Tarp Caps		A5XWIREELECTAF MISC	



Version 37 - August 8 2023

Sales Person: **Customer PO:** Request Delivery Date:

Picture of End Dump





SUSPENSION

1 axle auto deploy lift kit 2 axle auto deploy lift kit (simultaneous)

TIRES AND RIMS

X 11R22.5 Tires

11R24.5 Tires

x Cooper Road Master RM 230 HH


Steel wheels unless otherwise noted

Steel Aluminum look-alike Aluminum Machined Aluminum Polished



MUDFLAPS

Mud flaps, frame mounted, 2 in front of suspension



A5XKITEA3010A-D

A9X1611006

A9X160883620

CATE	GORY		Weight	PART NUMBER
Work Order #				
OF x 22ft Box in Lieu of a 20ft - up x Two speed crank down legs V Hubodometer for 22.5 tire (in Hubodometer for 24.5 tire (in Vibrator, 12 volt DC3500 Backup Alarm	/ Max II option nstalled on drivers side)	KMs KMs		A5XSA072200
CHAIN HANGERS - U BOLT 3/ Remote grease system for Tr Black Plastic Fenders Manitoba Safety Inspection PDI	i Axle			A9X46010000
x Sheete	D OPTIONS d in Corners s in front of suspension			
Std. Box Colour White CLR 21971	Std. Frame Colour			
Silver CLR 17752 Black CLR 14808	X Black CLR 14808			
	BOX COLOUR	PAINT CODE		
Box colour Frame colour	dark grey	23356		
Board colour				
Stripe	black			
Tier	L			BS G
NOTES:				

Purchaser's Signature _____

_ Date ______

Insert Dealer Logo

Date:


End User: Work Order Number:

SIDE DUMP V Max II TDM Axle Rear

o/a Height	9' 5"
o/a Length	28' 6"
Axle spread	50"
King pin setting	15" is Std
King pin height	46"
Wall height	54"
RTAC compliant	Yes

Base spec / to base model

Body Capacity - 20 cubic yard capacity Box Front & Rear Wall- Hardox 450, 1/8" Box Sides & Floor - Hardox 450, 1/8" Top Rail - Formed top rail Suspension - Hendrickson Intraax 250, 25,000 pounds capacity per suspension Axles - 77 inch track, 25,000 pound capacity per axle Wheels - Unimount 10 hole wheels with light weight hubs and drums, 8.25x22.5 Tires - BF Goodrich, Cross Control, 11Rx22.5 radial tires / Firestone T 819 ABS 2 sensor, 1 module Steps - between 1st and 2nd axles Aluminum 1/2 Round Fenders Liners cannot be installed on any side dump boxes





version 57 - Apri

Sales Person: Customer PO: Request Delivery Date:

Picture of End Dump

TIRES AND RIMS

X 11R22.5 Tires 11R24.5 Tires X Cooper Road Master RM 230 Steel wheels unless otherwise noted

> Steel Aluminum look-alike Aluminum Machined Aluminum Polished



MUDFLAPS

Mud flaps, frame mounted, 2 in front of suspension

A9X1611006

A9X160883620

	GORY		Weight	PART NUMBER
Work Order #				
 x 22ft Box in lieu of 20ft - Upcha x Two speed crank down legs V I Hubodometer for 22.5 tire (ins Hubodometer for 24.5 tire (ins Vibrator, 12 volt DC3500 	Max II option talled on drivers side)	KMs KMs		A5XSA072200
Backup Alarm CHAIN HANGERS - U BOLT 3/4 Remote grease system for TDN X Black Plastic Fenders Manitoba Safety Inspection PDI	/I Axle			A9X46010000
x Sheeted	<u>D OPTIONS</u> d in Corners front of suspension			
Std. Box Colour White CLR 21971 Silver CLR 17752	Std. Frame ColourXBlack CLR 14808			
Black CLR 14808	BOX COLOUR	PAINT CODE		
Box colour	dark grey	23356		
Frame colour Board colour				
Stripe Tier	black			

NOTES:

Purchaser's Signature _____