Insert Dealer Logo

☐ ORDER
☐ QUOTE

ARNE'S

Version 44 October 2026

Date:		Sales Person:	
End User:		Customer PO:	
Work Order Number:	52665	Request Delivery Date:	

SIDE DUMP V Max II Tri Axle Lead

o/a Height	9' 10"
o/a Length	35' 10"
Axle spread	60"
King pin setting	15" is Std
King pin height	50"
Wall height	54"
RTAC compliant	Yes

Picture of End Dump

Base spec / to base model

Body Capacity - 20 cubic yard capacity
Box Front & Wall - Hardox 450, 1/8"
Box Sides & Floor - Hardox 450, 1/8"
Top Rail - Formed top rail
Suspension -Hendrickson Intraax 250, 25,000 pound capacity per suspension
Axles - 77 inch track, 25,000 pound capacity per axle
Wheels - Unimount 10 hole wheels with light weight hubs and drums, 8.25x22.5
Tires - Roadmaster RM 230HH, 11Rx22.5 radial tires
ABS 2 sensor, 1 module
Steps - between 1st and 2nd axles
Aluminum 1/2 round fenders
Liners cannot be installed on any side dump boxes

CATEGORY		Weight	PART NUMBER
BOX POSITION			
[X] Std Box		16380 lbs	0
TARPS	Tarp Colour - If colour is not specified tarp will be black		
[ ] Electric Side Kicker Tarp BLACK MESH with aluminum arms & roll tube			
[x] Electric Side Kicker Tarp BLACK VINYL with aluminum arms & roll tube			AR-0900100
[ ] Wire for electric tarp to rear unit, lead units only			A5XWIREELECTARP
[x] Side Kicker Tarp Hood / Cap			Tarp Hood
[x] Over Tarp Caps [ ] Between Tarp Caps			
LIGHT			
[ ] Incandescent Lights [x] LED lights			A5XKIT201VM2LD
SUSPENSION	Lift Location		
[ ] 1 axle auto deploy lift kit			
[ ] 2 axle auto deploy lift kit (simultaneous)			A5XKITEA3010A-D
TIRES AND RIMS			
[X] 11R22.5 Tires			
[ ] 11R24.5 Tires			
[ ] Special Tires as Quoted			
Steel wheels unless otherwise noted			
Steel Aluminum look-alike [ ]			A9X16029396
Aluminum Polished Finish [12]			
MUDFLAPS			
[x] Mud flaps, frame mounted, 2 in front of suspension			A5XSA031300

CATEGORY		Weight	PART NUMBER
Work Order #	52665		

OPTIONS

X	22ft Box in Lieu of a 20ft - upcharge		
x	Two speed crank down legs V Max II option		A5XSA072200
	Hubodometer for 22.5 tire (installed on drivers side)	KMs	
	Hubodometer for 24.5 tire (installed on drivers side)	KMs	
	Vibrator, 12 volt DC3500		
	Backup Alarm		
	Chain Hangers - U Bolt 3/4X5X17 RD		
	Remote grease system for Tri Axle		
x	Black Plastic Fenders		A9X1300039
	Calcium Tank		
x	Stripe		

QUOTED OPTIONS

x	sheeted in corners
x	Bank of 4 mudflaps in front of landing gear

	Std. Box Colour		Std. Frame Colour
	White PPG 21971		
	Silver PPG 301630	x	Black PPG AU37FP908
x	Black PPG AU37FP908		

	BOX COLOUR	PAINT CODE
Box colour	Black	
Frame colour	Black	
Board colour		
Stripe	Red	PPG 00567
Tier		

LBS
KG

NOTES:

Purchaser's Signature _____ Date _____

Insert Dealer Logo

☐ ORDER
☐ QUOTE

ARNE'S

Version 42 -October 2026

Date:
End User:
Work Order Number: 52666

Sales Person:
Customer PO:
Request Delivery Date:

SIDE DUMP V Max II TDM Axle Rear

o/a Height	9' 5"
o/a Length	28' 6"
Axle spread	50"
King pin setting	15" is Std
King pin height	46"
Wall height	54"
RTAC compliant	Yes

Picture of End Dump

Base spec / to base model

Body Capacity - 20 cubic yard capacity
Box Front & Rear Wall- Hardox 450, 1/8"
Box Sides & Floor - Hardox 450, 1/8"
Top Rail - Formed top rail
Suspension - Hendrickson Intraax 250, 25,000 pounds capacity per suspension
Axles - 77 inch track, 25,000 pound capacity per axle
Wheels - Unimount 10 hole wheels with light weight hubs and drums, 8.25x22.5
Tires - Roadmaster RM 230HH, 11Rx22.5 radial tires
ABS 2 sensor, 1 module
Steps - between 1st and 2nd axles
Aluminum 1/2 Round Fenders
Liners cannot be installed on any side dump boxes

CATEGORY		Weight	PART NUMBER
BOX POSITION			
[x] V Max II TDM Axle Rear		16380 lbs	A5XSC032300
TARPS	Tarp Colour - If colour is not specified tarp will be black		
[ ] Electric Side Kicker Tarp BLACK MESH with aluminum arms & roll tube			
[x] Electric Side Kicker Tarp BLACK VINYL with aluminum arms & roll tube			A5X0900100 Tarp Hood
[x] Side Kicker Tarp Hood / Cap			
[x] Over Tarp Caps	[ ] Between Tarp Caps		
LIGHT			
[ ] Incandescent Lights	[x] LED lights		A5XKIT201VM2LD
SUSPENSION	Lift Location		
[ ] 1 axle auto deploy lift kit			
TIRES AND RIMS			
[x] 11R22.5 Tires			
[ ] 11R24.5 Tires			
[ ] Special Tires as Quoted			
Steel wheels unless otherwise noted			
Steel Aluminum look-alike	[ ]		
Aluminum Polished Finish	[8]		A9X0600082
MUDFLAPS			
[ ] Mud flaps, frame mounted, 2 in front of suspension			
[x] Dealer Logo Rear Mud flaps (2) 24 x 30			1E+06

CATEGORY		Weight	PART NUMBER
Work Order #	52666		

OPTIONS

x	22ft Box in lieu of 20ft - Upcharge		
x	Two speed crank down legs V Max II option		A5XSA072200
	Hubodometer for 22.5 tire (installed on drivers side)	KMs	
	Hubodometer for 24.5 tire (installed on drivers side)	KMs	
	Vibrator, 12 volt DC3500		
	Backup Alarm		
	Chain Hangers - U Bolt 3/4X5X17 RD		
	Remote grease system for TDM Axle		
x	Black Plastic Fenders		A9X1300039
x	Stripe		

QUOTED OPTIONS

x	sheeted in corners
x	Bank of 4 mudflaps in front of landing gear

Std. Box Colour

	White PPG 21971
	Silver PPG 301630
x	Black PPG AU37FP908

Std. Frame Colour

x	Black PPG AU37FP908

	BOX COLOUR	PAINT CODE
Box colour	Black	
Frame colour	Black	
Board colour		
Stripe	Red	PPG 00567
Tier		

LBS
KG

NOTES:

Purchaser's Signature _____ Date _____