



Order #: 165677-1

Order Name: Stock - Combo 53FT Tandem - QTY 3 - 10.21.20

Order Revision #: 1

Dealer/Customer: MAXIM TRANSPORTATION (WINNIPEG,MB)TRL

Date: 2/12/2021

Contact: MAXIM TRANSPORTATION SERVICES INC

Requested Date: 1/29/2021

Sales Person: Tom Klassen

Dealer/Branch P.O: 6

Dealers Customer: MAXIM TRANSPORTATION (WINNIPEG,MB)TRL

Customer #: 91870

Dealers Customer #: 91870

Customer P.O: 2978

Itm	Product	Reference #	Name	Model #	Qty
1	FLP - Combo Platform	C-130039	Combo Flat-53FT-Tandem-QTY3-10.21.20-1	FLP-0024-00053	5

#### Line Item 1

Configuration Reference #: C-130039

Configuration Name: Combo Flat-53FT-Tandem-QTY3-10.21.20-1

FG Item: 222480888

Product: FLP - Combo Platform

Model #: FLP-0024-00053

Mode of Transportation: Customer Pick-Up

#### Product

Product FLP - Combo Platform

Manufacturing Plant Huntsville, TN

Model Year 2022

#### Geometric Dimensions

CARB/GHG Phase 2 CARB/GHG2 compliance not required.

Serial Identification Canadian and U.S. Certification

Overall Length 53' 0"

Overall Width 102.00"

Upper Coupler Height 48"

Kingpin Location 24.00"

Landing Gear Location 106.0" From Kingpin

Undercarriage Design Tandem Axle, Slide Air-Ride Suspension, 49" Axle Centers

Miscellaneous Text (TAB) None

#### Front



<b>Front Crossmember</b>	Steel Front Crossmember
<b>Front Corner Type</b>	Diagonal Platform Trailer Corner
<b>Telematics / Tracking System</b>	None
<b>Electrical Connector and Gladhand Location</b>	Near Center Front
<b>Hose Couplers (Gladhands)</b>	Great Dane Control and Supply with Urethane Seals
<b>Document Holder</b>	Tite Seal #158 Located at Landing Gear Crossmember Roadside
<b>Additional Manifest Box</b>	None
<b>Additional Manifest Box Location</b>	None
<b>Stake Pockets Front</b>	None
<b>Front Stake Pockets Material and Size</b>	None
<b>Miscellaneous Text (TABB)</b>	None
<b>Front Bulkhead</b>	
<b>Bulkhead Type</b>	None
<b>Bulkhead Design</b>	None
<b>Side Kit Modification</b>	None
<b>Tarp Tie Bar</b>	None
<b>Chain Rack</b>	None
<b>Miscellaneous Text (TBAA)</b>	None
<b>Tarp Restraint Front</b>	
<b>Tarp Restraint (Rope Hook) Location, Front</b>	None
<b>Front Rope Hook Type</b>	None
<b>Front Rope Hook Quantity</b>	None
<b>Rope Hook Installation, Front</b>	None
<b>Rope Hook Spacing</b>	None
<b>Miscellaneous Text (TABZ)</b>	None
<b>Side Exterior and Structural</b>	
<b>Side Rail Type</b>	Extruded Aluminum
<b>Side Stake Pockets</b>	Outside
<b>Stake Pockets Material and Size Side</b>	Aluminum, 1.81" x 3.38" Inside x 4" Deep
<b>Stake Pockets Spacing</b>	24" Centers
<b>Stake Pocket Location</b>	0.38" Below Top of Side Rail
<b>Rub Rail Type</b>	3.00 Aluminum
<b>Rub Rail Location</b>	Locate As Close To Top Of Pocket As Possible
<b>Spool Quantity</b>	Single
<b>Miscellaneous Text (TBBB)</b>	None
<b>Rear</b>	
<b>Buckplate Material</b>	Aluminum
<b>Rear Stake Pockets</b>	None



<b>Stake Pocket Material and Size Rear</b>	None
<b>Filler Plate</b>	Aluminum
<b>Rear Bumpers</b>	Rubber Blocks, 1 Pair at Rear Corners
<b>Rear Impact Guard</b>	Carbon Steel Rear Impact Guard
<b>Tag Bracket Location</b>	None
<b>License Plate Installation</b>	None
<b>Tarp Restraint (Rope Hook) Location, Rear</b>	None
<b>Rear Rope Hook Type</b>	None
<b>Rear Rope Hook Quantity</b>	None
<b>Rear Rope Hook Installation</b>	None
<b>Rear Rope Hook Spacing</b>	None
<b>Miscellaneous Text (TABE)</b>	None

#### Floor

<b>Type of Floor</b>	Alum 1.25" Safety Grip w/2 Apitong nail strips
<b>Floor Cargo Restraint Type</b>	None
<b>Floor Cargo Restraint Quantity</b>	None
<b>Floor Cargo Restraint Location</b>	None
<b>Removable Chain Tie Downs Storage Box</b>	None
<b>Miscellaneous Text (TABH)</b>	None

#### Understructure

<b>Upper Coupler Type</b>	Unitized
<b>Bottom Plate Thickness</b>	0.25"
<b>Landing Gear</b>	GD65
<b>Landing Gear Foot / Shoe Type</b>	10" X 10" Cushion Foot
<b>Landing Gear Handle Location</b>	Roadside
<b>Tire Carrier</b>	None
<b>Mainbeam Flanges</b>	0.50" x 5.00" Top; 0.50 x 5.00" Bottom
<b>Bay Area Crossmembers</b>	4" Aluminum I-Beam on 16" Centers
<b>Extra Crossmembers</b>	None
<b>Tool Box Quantity</b>	None
<b>Dunnage Rack</b>	None
<b>Dunnage Rack Location</b>	None
<b>Miscellaneous Text (TBHH)</b>	None

#### Side Winch and Tarp Restraint

<b>Quantity of Fixed Winches Mounted between Crossmembers</b>	None
<b>Quantity of Fixed Undermount Winches In Bay-Area</b>	None
<b>Quantity of Sliding Winches</b>	Twenty-six



<b>Sliding Winch Track</b>	Both Sides (Curbside and Roadside) Sliding Winch Track, Double "L"
<b>Winch Track Length (Slide)</b>	Unitized Track Extruded into Siderail
<b>Sliding Winch Type</b>	Canadian-style 3 -bar Winch
<b>Winch Strap Type (Sliding Winches)</b>	None
<b>Winch Strap Quantity (Sliding Winches)</b>	None
<b>Miscellaneous Text (TBCC)</b>	SLIDING ROPES HOOKS ON SIDE, "J" HOOKS .63" STEEL - 26 OPPOSITE WINCHES.

#### Suspension

<b>Model of Suspension</b>	Hendrickson AAZNT Platform Slider
<b>Axle Type</b>	Hendrickson Tapered Spindle Standard Wall
<b>Ready-to-Roll Wheel End</b>	None
<b>Bogie Location</b>	ENSURE TRAILER CAN MEET RTAC COMPLIANCE (41FT FROM KP TO CENTER OF TANDEM)
<b>Locking Mechanism</b>	Air-Assist Pin Release
<b>Dump Valve</b>	Manual Dump Valve w/Weatherproof Box and Liquid Air Pressure Gauge
<b>Auxillary Dump Valve</b>	None
<b>Auxillary Dump Valve Location</b>	None
<b>Pintle Hook</b>	None
<b>Miscellaneous Text (TABL)</b>	None

#### Rear Ramps and Mud Flaps

<b>Mudflaps</b>	Great Dane, Ribbed Black with Logo
<b>Mudflap Mounting Location</b>	Behind Rear Axle
<b>Miscellaneous Text (TABM)</b>	None

#### Brakes, Tire Inflation Systems and Wheel Ends

<b>Brake Size</b>	16.50" x 7.00"
<b>Brake Actuators</b>	Great Dane Standard 2.5" Stroke
<b>Brake Lining</b>	Standard Brake Lining
<b>Brake Shoe Type</b>	Extended Service
<b>Brake Adjusters</b>	Meritor Automatic 5.50"
<b>Supplemental Brake Stroke Indicator</b>	None
<b>Dust Shield Type</b>	Great Dane Standard
<b>Tire-Inflation-System/Tire/Wheel Options</b>	Prep axle(s) for future installation of tire inflation system ( 3 Holes )
<b>Tire Inflation System Pressure</b>	None
<b>Wheel Seals</b>	Platinum-Plus Performance Package
<b>Axle Spindle Nuts</b>	Zip-Torq Spindle Nut
<b>Hubcaps</b>	Aluminum Sentinel
<b>Wheel Lubricant</b>	Oil
<b>Anti-Lock Brakes</b>	Wabco 2S/1M Easy Stop



Optional Diagnostic Cable	None
Brake Valves	Sealco
Air-Tank Drain Valve	Manual
Hubodometer YN	None
Miscellaneous Text (TABN)	None
<b>Tires / Wheels / Hubs and Drums</b>	
Rim/Disc Wheel Size	22.5" X 8.25"
Hub/Wheel And Drum	Great Dane Hub Piloted Universal 10 Stud Hub with Outboard Cast Drums
Brake Drum Balancing	None-Not Balanced
Wheel Type	22.5" Steel Disc Wheels With Aluminum Disc Wheels Outboard, Hub Piloted
Wheel/Rim Vendor	Great Dane Steel/Great Dane Aluminum
Wheel Stud Options	Long Studs for Future Alum Wheels
Wheel Spacer (Corrosion Barrier)	Spacer between Inner and Outer Disc Wheels
Tire Size	11R 22.5
Tire Brand	Bridgestone Ecopia R123 (G)
Miscellaneous Text (TABO)	None
<b>Electrical</b>	
Exterior Light Package	All Lights LED, Grote Long Life Light System, Grote MicroNova Dot Lamps
Type of Clearance Lights	Grote, LED MicroNova Dot Lamps with Dual Intensity ID Lamps
Electrical Connector Type	Great Dane Standard 7-Way Split Pin
Side Bottom Lights	3 Each Side (Front, Rear, and standard Midship Combination)
Side Bottom Light Locations	Evenly spaced Front to Rear
Buckplate Light Type	Grote Series 40, LED Flange Mount
Buckplate Lights Qty & Loc	2 Each Side
Midship Turn Signal	Grote LED Combination Turn and Clearance
Location of Turn Signal	Roadside and Curbside, Center of Trailer
Installation of Turn Signal	Attach To Bottom Of Crossmember
Supplemental Turn Signal	None
Type of Supplemental Turn-Signal	None
Location of Supplemental Turn Signal	None
Installation of Supplemental turn Signal	None
Miscellaneous Text (TABP)	INSTALL 4-WAY PLUG AT REAR OF TRAILER
Miscellaneous Text (TBDD)	None
<b>Finish/Paint/Decal</b>	
Paint	Black, Urethane
Wheel Finish	White Steel, Standard Finish Aluminum Outboard



Conspicuity Treatment Location	Great Dane on Siderails
Manufacturer's Logo Installation	Red Logos
Installation Of Customer Decals	None
Exterior Unit Numbers	None
Miscellaneous Text (TABR)	None
Miscellaneous Text (TBFF)	None
Miscellaneous Text (TBGG)	None

**Calculated Values**

CARB Compliance Year	2021
----------------------	------

**Geometric Dimensions**

Packaged Options	None
------------------	------

**Floor**

Special Floor Rating	None
----------------------	------

**Tool Boxes**

Type of Tool Box	None
Tool Box Mounting Location	None
Tool Box Door Hinge Location	None

**Rear Ramps and Mud Flaps**

Mudflap Quantity/Bracket Material	1-Pair
-----------------------------------	--------

**Tires / Wheels / Hubs and Drums**

Spare Tire	None
------------	------

Miscellaneous Text (TABP) - INSTALL 4-WAY PLUG AT REAR OF TRAILER		
EENID-130039-1	BOMID-392486	CPQ-
Bogie Location - ENSURE TRAILER CAN MEET RTAC COMPLIANCE (41FT FROM KP TO CENTER OF TANDEM)		
EENID-130039-2	BOMID-392487	CPQ-
Miscellaneous Text (TBCC) - SLIDING ROPES HOOKS ON SIDE, "J" HOOKS .63" STEEL - 26 OPPOSITE WINCHES.		
EENID-130039-3	BOMID-392488	CPQ-