



Booking #: 647570

Booking Name: Combo Step Triaxle C-152469

Booking Revision #: 1

Dealer/Customer: MAXIM TRANSPORTATION (WINNIPEG,MB)TRL  
Contact: MAXIM TRANSPORTATION SERVICES INC  
Sales Person: Chris Kowaliszyn  
Dealers Customer: MAXIM TRANSPORTATION (WINNIPEG,MB)TRL  
Dealers Customer #: 91870

Expiration Date:  
Date: 11/17/2022  
Requested Date: 01/02/2023  
Dealer/Branch P.O: 6-3309  
Customer #: 91870  
Customer P.O: 6-3309

itm	Product	Reference #	Name	Model #	Qty
1	FLD - Combo Drop Deck Platform	C-161408	Copy of C-161325	FLD-0026-00053	6

**Line Item 1**

Configuration Reference #: C-161408  
Configuration Name: Copy of C-161325  
FG Item: 242480526  
Product: FLD - Combo Drop Deck Platform  
Model #: FLD-0026-00053  
Mode of Transportation: Customer Pick-Up

**Product**

---

Product	FLD - Combo Drop Deck Platform
Manufacturing Plant	Huntsville, TN
Model Year	2024

**Geometric Dimensions**

---

Serial Identification	Canadian and U.S. Certification
Overall Length	53' 0"
Overall Width	102.00"
Upper Coupler Height	48"
Kingpin Location	24.00"
Upper Deck Length	132.00" Nose to Face of Drop
Landing Gear Location	93.5" From Kingpin
Undercarriage Design	Tridem Axle, Fixed Air-Ride Suspension, 60" Axle Centers
Miscellaneous Text (TAB A)	None

**Front**

---

Front Crossmember	Steel Front Crossmember
Front Corner Type	Diagonal Platform Trailer Corner
Electrical Connector and Gladhand Location	Near Center Front



<b>Hose Couplers (Gladhands)</b>	Great Dane Control and Supply with Urethane Seals
<b>Document Holder</b>	Tite Seal #158 Located at Landing Gear Crossmember Roadside
<b>Additional Manifest Box</b>	None
<b>Additional Manifest Box Location</b>	None
<b>Stake Pockets Front</b>	None
<b>Front Stake Pockets Material and Size</b>	None
<b>Miscellaneous Text (TABB)</b>	None

#### Telematics

<b>Telematics / Tracking System</b>	Install FleetPulse Base Telematics System
<b>Alternative Telematics System</b>	...
<b>Telematics System Install and Commission</b>	Factory Furnished and Commissioned
<b>Telematics System Installation Detail</b>	Great Dane Standard Location
<b>Telematics Data Contract</b>	FleetPulse 1 Year Data Contract

#### Front Bulkhead

<b>Bulkhead Type</b>	None
<b>Bulkhead Design</b>	None
<b>Side Kit Modification</b>	None
<b>Tarp Tie Bar</b>	None
<b>Chain Rack</b>	None
<b>Miscellaneous Text (TBAA)</b>	None

#### Tarp Restraint Front

<b>Tarp Restraint (Rope Hook) Location, Front</b>	None
<b>Front Rope Hook Type</b>	None
<b>Front Rope Hook Quantity</b>	None
<b>Rope Hook Installation, Front</b>	None
<b>Rope Hook Spacing</b>	None
<b>Miscellaneous Text (TABZ)</b>	None

#### Side Exterior and Structural

<b>Side Rail Type</b>	Extruded Aluminum
<b>Side Stake Pockets</b>	Outside
<b>Stake Pockets Material and Size Side</b>	Aluminum, 1.81" x 3.38" Inside x 4" Deep
<b>Stake Pockets Spacing</b>	24" Centers
<b>Stake Pocket Location</b>	Flush with Top of Siderail
<b>Rub Rail Type</b>	3.00 Aluminum
<b>Rub Rail Location</b>	Locate As Close To Top Of Pocket As Possible
<b>Spool Quantity</b>	Single
<b>Miscellaneous Text (TBBB)</b>	None

#### Rear

<b>Buckplate Material</b>	Aluminum
<b>Rear Stake Pockets</b>	None
<b>Stake Pocket Material and Size Rear</b>	None
<b>Filler Plate</b>	Aluminum



<b>Rear Bumpers</b>	Rubber Blocks, 1 Pair at Rear Corners
<b>Rear Impact Guard</b>	Carbon Steel Rear Impact Guard
<b>Tag Bracket Location</b>	None
<b>License Plate Installation</b>	None
<b>Tarp Restraint (Rope Hook) Location, Rear</b>	None
<b>Rear Rope Hook Type</b>	None
<b>Rear Rope Hook Quantity</b>	None
<b>Rear Rope Hook Installation</b>	None
<b>Rear Rope Hook Spacing</b>	None
<b>Miscellaneous Text (TABE)</b>	None

#### Floor

---

<b>Type of Floor</b>	Alum 1.25" Safety Grip w/2 Apitong nail strips
<b>Floor Cargo Restraint Type</b>	None
<b>Floor Cargo Restraint Quantity</b>	None
<b>Floor Cargo Restraint Location</b>	None
<b>Removable Chain Tie Downs Storage Box</b>	None
<b>Miscellaneous Text (TABH)</b>	None

#### Understructure

---

<b>Upper Coupler Type</b>	Unitized
<b>Bottom Plate Thickness</b>	0.38"
<b>Landing Gear</b>	GD65
<b>Landing Gear Foot / Shoe Type</b>	10" X 10" Cushion Foot
<b>Landing Gear Handle Location</b>	Roadside
<b>Loaded Rear Deck Height</b>	40"
<b>Tire Carrier</b>	None
<b>Mainbeam Flanges</b>	0.50" x 5.00" Top; 0.63 x 5.00" Bottom
<b>Bay Area Crossmembers</b>	4" Aluminum I-Beam on 16" Centers
<b>Extra Crossmembers</b>	None
<b>Tool Box Quantity</b>	None
<b>Dunnage Rack</b>	None
<b>Dunnage Rack Location</b>	None
<b>Miscellaneous Text (TBHH)</b>	Install Toolbox Brackets only for a 60" Tool Box on C/S and R/S behind landing gear for future tool box install

#### Side Winch and Tarp Restraint

---

<b>Quantity of Fixed Winches Mounted between Crossmembers</b>	None
<b>Quantity of Fixed Undermount Winches In Bay-Area</b>	None
<b>Quantity of Sliding Winches</b>	Twenty-six
<b>Sliding Winch Track</b>	Both Sides (Curbside and Roadside) Sliding Winch Track, Double "L"
<b>Winch Track Length (Slide)</b>	Unitized Track Extruded into Siderail
<b>Sliding Winch Type</b>	Canadian-style 3 -bar Winch



<b>Winch Strap Type (Sliding Winches)</b>	None
<b>Winch Strap Quantity (Sliding Winches)</b>	None
<b>Miscellaneous Text (TBCC)</b>	4 LOWPROFILE 3-BAR WINCHES & J HOOKS ON UPPER DECK. TOTAL 26 WINCHES & HOOKS. SLIDING "J" HOOKS .63" TOTAL 26, EVENLY SPACED FRONT TO REAR STAGGERED OPPOSITE TO WINCHES. ADD 1 3-BAR WINCH WITH OPPOSITE J HOOK BEHIND AXLES SET

### Suspension

<b>Model of Suspension</b>	Hendrickson AANL 23K
<b>Axle Type</b>	Hendrickson Tapered Spindle Standard Wall
<b>Ready-to-Roll Wheel End</b>	HXL5 Hendrickson Extended-Life 5-Year System
<b>Bogie Location</b>	RTAC COMPLIANT - 41FT FROM KP TO CENTER OF BOGIE
<b>Dump Valve</b>	Manual Dump Valve w/Weatherproof Box and Liquid Air Pressure Gauge
<b>Auxillary Dump Valve</b>	None
<b>Auxillary Dump Valve Location</b>	None
<b>Miscellaneous Text (TABL)</b>	None

### Rear Ramps and Mud Flaps

<b>Mudflaps</b>	Great Dane, Ribbed Black with Logo
<b>Mudflap Mounting Location</b>	Behind Rear Axle
<b>Miscellaneous Text (TABM)</b>	None

### Brakes, Tire Inflation Systems and Wheel Ends

<b>Brake Size</b>	16.50" x 7.00"
<b>Brake Actuators</b>	Great Dane Standard 2.5" Stroke
<b>Brake Lining</b>	Standard Brake Lining
<b>Brake Shoe Type</b>	Extended Service
<b>Brake Adjusters</b>	Meritor Automatic 5.50"
<b>Supplemental Brake Stroke Indicator</b>	None
<b>Dust Shield Type</b>	Great Dane Standard
<b>Tire-Inflation-System/Tire/Wheel Options</b>	Prep axle(s) for future installation of tire inflation system ( 3 Holes )
<b>Tire Inflation System Pressure</b>	None
<b>Auxiliary Pressure Check Port</b>	None
<b>Wheel Seals</b>	Furnished with RTR Wheel End System
<b>Axle Spindle Nuts</b>	Furnished with RTR Wheel End System
<b>Hubcaps</b>	Furnished with RTR Wheel End System
<b>Wheel Lubricant</b>	Semi-Fluid Grease Furnished with RTR Wheel End System
<b>Anti-Lock Brakes</b>	Wabco 2S/2M iABS Premium
<b>ECU Monitored Option</b>	ABS Fault Codes and Mileage
<b>Optional Diagnostic Cable</b>	None
<b>Brake Valves</b>	Sealco
<b>Air-Tank Drain Valve</b>	Manual
<b>Hubodometer YN</b>	None
<b>Miscellaneous Text (TABN)</b>	None

### Tires / Wheels / Hubs and Drums

<b>Rim/Disc Wheel Size</b>	22.5" X 8.25"
----------------------------	---------------



<b>Hub/Wheel And Drum</b>	Hendrickson HXL Ductile Iron Hub Piloted 10 Stud Hub With Webb Outboard Cast Drums
<b>Brake Drum Balancing</b>	Supplied Balanced Only
<b>Wheel Type</b>	22.5" Steel Disc Wheels With Aluminum Disc Wheels Outboard, Hub Piloted
<b>Wheel/Rim Vendor</b>	Great Dane Steel/Great Dane Aluminum
<b>Wheel Stud Options</b>	Long Studs Furnished with HXL Wheel End System
<b>Wheel Spacer (Corrosion Barrier)</b>	Spacer between Hub and Inner Wheel and Outer Disc Wheels
<b>Tire Size</b>	255/70R 22.5
<b>Tire Brand</b>	Bridgestone R250ED (H)
<b>Miscellaneous Text (TABO)</b>	None
<b>Electrical</b>	
<b>Exterior Light Package</b>	All Lights LED, Grote Long Life Light System, AMP Connector, Grote MicroNova Dot Lamps
<b>Type of Clearance Lights</b>	Grote, LED MicroNova Dot Lamps with Dual Intensity ID Lamps
<b>Electrical Connector Type</b>	Great Dane Standard 7-Way Split Pin
<b>Telematics Data Bus</b>	CAN Bus Communications with FleetPulse Base
<b>Side Bottom Lights</b>	3 Each Side (Front, Rear, and standard Midship Combination)
<b>Side Bottom Light Locations</b>	Evenly spaced Front to Rear
<b>Buckplate Light Type</b>	Grote Series 40, LED Flange Mount
<b>Buckplate Lights Qty &amp; Loc</b>	3 Each Side, Stop/Tail/Red Turn
<b>Midship Turn Signal</b>	Grote LED Combination Turn and Clearance
<b>Location of Turn Signal</b>	Roadside and Curbside, Center of Trailer
<b>Installation of Turn Signal</b>	Attach To Bottom Of Crossmember
<b>Supplemental Turn Signal</b>	None
<b>Type of Supplemental Turn-Signal</b>	None
<b>Location of Supplemental Turn Signal</b>	None
<b>Installation of Supplemental turn Signal</b>	None
<b>Miscellaneous Text (TABP)</b>	INSTALL 4-WAY PLUG AT REAR OF TRAILER
<b>Miscellaneous Text (TBDD)</b>	Install Wide Load Pull out lights - One set in drop area and 2nd set behind 3rd Axle. Leave inside rear buckplate lights open for future strobes and wire a switch at the rear of the trailer for the future strobe install.
<b>Finish/Paint/Decal</b>	
<b>Paint</b>	Black, Urethane
<b>Wheel Finish</b>	White Steel, Standard Finish Aluminum Outboard
<b>Conspicuity Treatment Location</b>	Great Dane on Siderails
<b>Manufacturer's Logo Installation</b>	Red Logos
<b>Installation Of Customer Decals</b>	None
<b>Exterior Unit Numbers</b>	None
<b>Miscellaneous Text (TABR)</b>	None
<b>Miscellaneous Text (TBFF)</b>	None
<b>Miscellaneous Text (TBGG)</b>	None
<b>Geometric Dimensions</b>	
<b>CARB/GHG Phase 2</b>	None



Calculated Values

<b>CARB Compliance Year</b>	2023
<b>Geometric Dimensions</b>	
<b>Packaged Options</b>	None
<b>GHG2 Green House Gas Compliance</b>	
<b>GHG2 Green House Gas Classification</b>	Excluded
<b>Floor</b>	
<b>Special Floor Rating</b>	None
<b>Tool Boxes</b>	
<b>Type of Tool Box</b>	None
<b>Tool Box Mounting Location</b>	None
<b>Tool Box Door Hinge Location</b>	None
<b>Suspension</b>	
<b>Locking Mechanism</b>	None
<b>Pintle Hook</b>	None
<b>Rear Ramps and Mud Flaps</b>	
<b>Mudflap Quantity/Bracket Material</b>	1-Pair
<b>Tires / Wheels / Hubs and Drums</b>	
<b>Spare Tire</b>	None

Miscellaneous Text (TABP) - INSTALL 4-WAY PLUG AT REAR OF TRAILER		
EENID-1	BOMID-501434	CPQ-
Miscellaneous Text (TBDD) - Install Wide Load Pull out lights - One set in drop area and 2nd set behind 3rd Axle. Leave inside rear buckplate lights open for future strobes and wire a switch at the rear of the trailer for the future strobe install.		
EENID-2	BOMID-501435	CPQ-
Miscellaneous Text (TBHH) - Install Toolbox Brackets only for a 48" Tool Box on C/S and R/S behind landing gear for future tool box install		
EENID-3	BOMID-529290	CPQ-
Bogie Location - RTAC COMPLIANT - 41FT FROM KP TO CENTER OF BOGIE		
EENID-4	BOMID-501433	CPQ-
Miscellaneous Text (TBCC) - 4 LOWPROFILE 3-BAR WINCHES & J HOOKS ON UPPER DECK. TOTAL 26 WINCHES & HOOKS. SLIDING "J" HOOKS .63" TOTAL 26, EVENLY SPACED FRONT TO REAR STAGGERED OPPOSITE TO WINCHES. ADD 1 3-BAR WINCH WITH OPPOSITE J HOOK BEHIND AXLES SET		
EENID-5	BOMID-501432	CPQ-

Note: All Model year 2022 quotes subject to change pending legal regulations in regard to GHG2 requirements.