



Order #: 161583

JDE Order ID: 129629

Order Revision #: 0

Dealer/Customer: GREAT DANE

Order Created Date: 3/25/2019

Customer #: 402217

Requested Date: 8/2/2019

Equipment #

Dealer/Branch P.O: lr

Min Unit #:

Customer P.O: lr

Max Unit #:

Salesman: Lisa Roberts

Order Notes:

Itm	Qty	Description	FG Item Number	Model #	Reference #
1	21	FSP Stock 53' (Spring Slide) 2020	202482174	FSP-0023-00053	C-90566

Product

GD_PRODUCT F0800905 **Product** FSP - Steel Platform

PLT 248 **Manufacturing Plant** Huntsville, TN

MODEL_YEAR 020 **Model Year** 2020

Geometric Dimensions

KAC 015 **Serial Plate** Canadian and U.S. Cert. Plate

OAL 636 **Overall Length** 53' 0"

OAW 100 **Overall Width** 102.00"

UCH 480 **Upper Coupler Height** 48"

KPL 030 **Kingpin Location** 30.00"

LGL 112 **Landing Gear Location** 112.0" From Kingpin

UND 221 **Undercarriage Design** Tandem Axle, Slide Spring Suspension, 49" Axle Centers

TABA 000 **Miscellaneous Text (TAB A)** None

Front

FBC 100 **Front Corner Type** Diagonal Platform Trailer Corner

TKS 000 **Telematics / Tracking System** None

ECL 150 **Electrical Connector and Gladhand Location** Near Center Front

BDN 002 **Hose Couplers (Gladhands)** Great Dane Control and Supply with Urethane Seals

DCH 070 **Document Holder** Tite Seal #158 Located at Landing Gear Crossmember Roadside

AWG 000 **Additional Manifest Box** None

AWH 000 **Additional Manifest Box Location** None

DRF 050 **Stake Pockets Front** Five



DSKA 045 Front Stake Pockets Material and Size 0.25 Steel, 7.00" Deep with 4" x 3.88" ID Opening

TABB 000 Miscellaneous Text (TABB) None

Front Bulkhead

FAJ 000 Bulkhead Type None

FAK 000 Bulkhead Design None

BFM 000 Side Kit Modification None

BFR 000 Tarp Tie Bar None

CHR 000 Chain Rack None

TBAA 000 Miscellaneous Text (TBAA) None

Tarp Restraint Front

BGLA 000 Tarp Restraint (Rope Hook) Location, Front None

DRHA 000 Front Rope Hook Type None

DRIA 000 Front Rope Hook Quantity None

BAKA 000 Rope Hook Installation, Front None

DRLA 000 Rope Hook Spacing None

TABZ 000 Miscellaneous Text (TABZ) None

Side Exterior and Structural

DSH 020 Side Rail Type 6" Deep 6.5# Structural Channel

DSI 010 Side Stake Pockets Outside

DSKB 010 Stake Pockets Material and Size Side Steel 0.19" x 1.81" x 3.38" Inside x 3" Deep

DSL 024 Stake Pockets Spacing 24" Centers

DSM 038 Stake Pocket Location 0.38" Below Top of Side Rail

DSR 010 Rub Rail Type 0.25" X 2.00"

DST 050 Rub Rail Location Centered on Stake Pocket

DSN 020 Spool Quantity Double

TBBB 000 Miscellaneous Text (TBBB) None

Rear

BMA 010 Buckplate Material Carbon Steel

DRG 050 Rear Stake Pockets Five

DSKC 010 Stake Pocket Material and Size Rear Steel, .019" X 1.81" Inside X 3.38" Inside X 3" Deep

BDF 020 Filler Plate 12 Gauge Steel

BPL 020 Rear Bumpers Rubber Blocks, 1 Pair at Rear Corners

ICC 010 Rear Impact Guard Carbon Steel Rear Impact Guard

TAG 000 Tag Bracket Location None

TAGP 000 License Plate Installation None

BGLC 000 Tarp Restraint (Rope Hook) Location, Rear None

DRHC 000 Rear Rope Hook Type None

DRIC 000 Rear Rope Hook Quantity None



BAKC 000 Rear Rope Hook Installation None

DRLC 000 Rear Rope Hook Spacing None

TABE 000 Miscellaneous Text (TABE) None

Floor

AAB 650 Type of Floor Apitong 1.13"

BEK 000 Floor Cargo Restraint Type None

BEL 000 Floor Cargo Restraint Quantity None

BEM 000 Floor Cargo Restraint Location None

TABH 000 Miscellaneous Text (TABH) None

Understructure

ACL 050 Upper Coupler Type Unitized

ACM 025 Bottom Plate Thickness 0.25"

LGA 166 Landing Gear GD65

LGC 020 Landing Gear Foot / Shoe Type 10" X 10" Cushion Foot

ACB 010 Landing Gear Handle Location Roadside

TCA 000 Tire Carrier None

FAM 003 Mainbeam Flanges 0.50" x 5.00" Top; 0.50 x 5.00" Bottom

XBR 110 Bay Area Crossmembers 4" Steel I-Beam on 12" Centers

XBA 000 Extra Crossmembers None

FBH 010 Tool Box Quantity One

Aerodynamic Devices

TABK 999 Miscellaneous Text (TABK) Use Sturdy-Lite toolbox brackets

Tool Boxes

TBC 101 Type of Tool Box Aluminum, 24" Wide x 24" High x 48" Long, Double Door (CamLock Style Closure)

KAB 025 Tool Box Mounting Location Roadside Behind Landing Gear

TBD 030 Tool Box Door Hinge Location Hinged at Sides

Side Winch and Tarp Restraint

BIMA 000 Quantity of Fixed Winches Mounted between Crossmembers None

BIJA 000 Winch Type between Crossmembers None

BIWA 000 Winch Strap Type (Fixed Winches) None

BIYA 000 Winch Strap Quantity (Fixed Winches) None

BIJC 000 Winch Type In Bay-Area None

BIMC 000 Quantity of Fixed Undermount Winches In Bay-Area None

BIWC 000 Winch Strap Type (Bay-Area) None

BIYC 000 Winch Strap Quantity (Bay-Area) None

BIRA 002 Sliding Winch Track Roadside Sliding Winch Track, Double "L"

BIV 110 Winch Track Length (Slide) Full Length

BIJB 006 Sliding Winch Type Ancra Zinc-Plated



BIMB 012 Sliding Winch Quantity Twelve

BIWB 035 Winch Strap Type (Sliding Winches) 4" x 30' Extreme Orange Nylon with Flat Hook

BIYB 010 Winch Strap Quantity (Sliding Winches) 1 per Winch

TBCC 000 Miscellaneous Text (TBCC) None

Suspension

HGR 010 Model of Suspension Hutchens H9700

AXA 500 Axle Type Great Dane Tapered Spindle .50" Wall

RTR 050 Ready-to-Roll Wheel End HXL5 Hendrickson Extended-Life 5-Year System

BGH 298 Bogie Location 96" Slide Travel (Minimum)

LMB 001 Locking Mechanism Manual Pin Release

SPR 003 Springs 3 Leaf Spring

PBA 000 Pintle Hook None

TABL 000 Miscellaneous Text (TABL) None

Rear Ramps and Mud Flaps

MUD 010 Mudflaps Great Dane, Smooth Black with Logo

MML 080 Mudflap Mounting Location Behind Rear Axle

TABM 000 Miscellaneous Text (TABM) None

Brakes, Tire Inflation Systems and Wheel Ends

BRK 010 Brake Size 16.50" x 7.00"

BKC 090 Brake Actuators Great Dane Standard 2.5" Stroke

AFD 901 Brake Lining Standard Brake Lining

BST 060 Brake Shoe Type Extended Service

SLA 250 Brake Adjusters Stemco Automatic Slack 5.50"

BSI 000 Supplemental Brake Stroke Indicator None

DSA 000 Dust Shield Type None

TWO 090 Tire-Inflation-System/Tire/Wheel Options Prep axle(s) for future installation of tire inflation system (3 Holes)

TIP 000 Tire Inflation System Pressure None

SEA 904 Wheel Seals Furnished with RTR Wheel End System

ASN 904 Axle Spindle Nuts Furnished with RTR Wheel End System

CAP 904 Hubcaps Furnished with RTR Wheel End System

LBR 904 Wheel Lubricant Semi-Fluid Grease Furnished with RTR Wheel End System

CBG 040 Anti-Lock Brakes Wabco 2S/1M Easy Stop

DGN 000 Optional Diagnostic Cable None

BLM 010 Brake Valves Sealco

AFC 020 Air-Tank Drain Valve Manual

HYN 000 Hubodometer YN None

TABN 000 Miscellaneous Text (TABN) None

Tires / Wheels / Hubs and Drums



ACG 060 Rim/Disc Wheel Size 22.5" X 8.25"

AWE 904 Hub/Wheel And Drum Hendrickson HXL Ductile Iron Hub Piloted 10 Stud Hub With Webb Outboard Cast Drums

DUR 005 Brake Drum Balancing Supplied Balanced Only

RIM 011 Wheel Type 22.5" Steel Disc Wheel, Hub Piloted, 5HH

RMV 010 Wheel/Rim Vendor Great Dane

STU 904 Wheel Stud Options Long Studs Furnished with HXL Wheel End System

WSP 030 Wheel Spacer (Corrosion Barrier) Spacer between Hub and Inner Wheel and Outer Disc Wheels

ACA 295 Tire Size 295/75R 22.5

TIR 041 Tire Brand Bridgestone R196A (G)

TABO 000 Miscellaneous Text (TABO) None

Electrical

ELP 118 Exterior Light Package All Lights LED, Grote Long Life Light System, Grote MicroNova Dot Lamps

ELT 125 Type of Clearance Lights Grote, LED MicroNova Dot Lamps with Dual Intensity ID Lamps

ECT 300 Electrical Connector Type Great Dane Standard 7-Way Solid Pin

BRE 010 Side Bottom Lights 3 Each Side (Front, Rear, and standard Midship Combination)

BRL 010 Side Bottom Light Locations Evenly spaced Front to Rear

BPA 100 Buckplate Light Type Grote Series 40, LED Flange Mount

BPM 070 Buckplate Lights Qty & Loc 3 Each Side, Stop/Tail/Red Turn

MID 015 Midship Turn Signal Grote LED Combination Turn and Clearance

BPD 020 Location of Turn Signal Roadside and Curbside, Center of Trailer

BPE 011 Installation of Turn Signal Attach To Bottom Of Crossmember

SUP 001 Supplemental Turn Signal Yes

BPC 001 Type of Supplemental Turn-Signal Great Dane Turn Arrow and Signal

BPDA 010 Location of Supplemental Turn Signal Roadside and Curbside Behind Landing Gear

BPEA 040 Installation of Supplemental turn Signal Install On Main Beam

TABP 999 Miscellaneous Text (TABP) TWO PRONG PLUG AT REAR WIRED TO MARKER LIGHT CIRCUIT FOR HOT AND GROUND

TBDD 000 Miscellaneous Text (TBDD) None

Finish/Paint/Decal

PTKA 220 Paint Black, Urethane

PTN 015 Wheel Finish White Powder Coat

FGJ 112 Conspicuity Treatment Location Great Dane on Siderails

GDL 002 Manufacturer's Logo Installation Red Logos

CFD 000 Installation Of Customer Decals None

BDU 000 Exterior Unit Numbers None

TABR 000 Miscellaneous Text (TABR) None

TBFF 000 Miscellaneous Text (TBFF) None

TBGG 000 Miscellaneous Text (TBGG) None



Product

TGHG 000 Tractor-Trailer GHG Phase 2 Do not Compute GHG2

Geometric Dimensions

PKS 000 Packaged Options None

Understructure

FTP 000 Special Floor Rating None

Rear Ramps and Mud Flaps

MQY 001 Mudflap Quantity/Bracket Material 1-Pair

Tires / Wheels / Hubs and Drums

SPA 000 Spare Tire None

Line Item 1

FG Item: 202482174

Configuration Reference #: C-90566

Mode of Transportation: Customer Pick-Up

Qty: 21

Miscellaneous Text (TABP) - TWO PRONG PLUG AT REAR WIRED TO MARKER LIGHT CIRCUIT FOR HOT AND GROUND		
EENID-90566-1	BOMID-270177	CPQ-
Miscellaneous Text (TABK) - Use Sturdy-Lite toolbox brackets		
EENID-90566-2	BOMID-270178	CPQ-