



Order #: 177044

JDE Order ID: 182661

Order Revision #: 0

Dealer/Customer: GREAT DANE

Customer #: 402217

Equipment #

Min Unit #:

Max Unit #:

Order Created Date: 6/18/2026

Requested Date Earliest: 09/03/2026

Requested Date: 09/03/2026

Dealer/Branch P.O: Ir

Customer P.O: Ir

Salesman: Lisa Roberts

Order Notes:

Itm	Qty	Description	FG Item Number	Model #	Reference #
1	25	copy 225198	272181410	CCC-3314-21053	C-228723

Product

GD_PRODUCT A0100610 **Product** CCC - Champion Composite Plate

PLT 218 Manufacturing Plant Terre Haute, IN

MODEL_YEAR 027 **Model Year** 2027

Geometric Dimensions

CGHG 020 CARB/CA Phase 2 GHG CARB/GHG2 compliance not required.

TOP 000 Topco Membership Not a TOPCO Member

PKS 000 Packaged Options None

KAC 015 Serial Identification Canadian and U.S. Certification

OAH 162 Overall Height 13' 6"

OAL 636 Overall Length 53' 0"

OAW 102 Overall Width 102.36"

UCH 470 Upper Coupler Height 47"

KPL 036 Kingpin Location 36.00"

LGL 018 Landing Gear Location 98.5" From Kingpin

WED 000 Wedge No Wedge

UND 231 Undercarriage Design Tandem Axle, Slide Air-Ride Suspension, 49" Axle Centers

TABA 000 Miscellaneous Text (TAB A) None

Front

FBC 060 Front Corner Type 4.7" Extruded Aluminum Radius

FRC 035 Front Corner Sheet 0.125" Extruded Aluminum Mill Finish

BDM 000 Front Corner Protectors None

FST 060 Front Sheets Aluminum, 0.050"

FUP 032 Front Upright Four (4) 18ga STL, 2.5" Hats

FVO 000 Front Vents None



FRB 000 Quantity and Type of Front Vent None
FRD 000 Location of Front Vent None
ECL 010 Electrical Connector and Gladhand Location Offset Roadside, Overlaid
BDN 002 Hose Couplers (Gladhands) Great Dane Control and Supply with Urethane Seals
IAF 000 In-Line Air Filter None
DCH 020 Document Holder Great Dane Standard with Logo At Roadside Front
AWG 000 Additional Manifest Box None
AWH 000 Additional Manifest Box Location None
TABB 000 Miscellaneous Text (TABB) None

Telematics

TKS 065 Telematics / Tracking System FleetPulseGo Track
TKSA 000 Alternative Telematics System . . .
TKSI 020 Telematics System Install and Commission Factory Furnished and Factory Commissioned
TID 010 Telematics System Installation Detail Great Dane Standard Location
TPS 000 Telematics / Tracking Power Supply . . .

Side Exterior and Structural

SSA 016 Side Sheet Material Composite Plate, 0.30" with .016" PP Galv. Steel Skins
SSD 010 Side Sheet Texture Flat
UPR 155 Side Post Type Logistic Post, Comp Plate Single-Punch "A" (14 Gauge)
APR 010 Side Post Spacing 24" Centers
RIV 010 Bottom Rail Fasteners 0.38" Aluminum Rivets
DSR 000 Rub Rail Type None
DST 000 Rub Rail Location None
SKY 000 Side Skylight Quantity None
SKA 000 Side Skylight Location None
EXT 000 External Protection Package (Lift Pads) None
TABC 000 Miscellaneous Text (TABC) None

Rear

DRB 012 Rear Frame Type EnduroGuard Swing Door Frame
HDR 007 Header Type 2.5" Narrow Header
RPP 000 Rear Corner Post Lamp Protection None
BDVY 000 Rear Liftgate None
BPL 030 Rear Bumpers Rubber Dock Bumper
ICC 016 Rear Impact Guard Hot Dip Galvanized Steel Rear Impact Guard Bolt on Vertical Weld On Horizontal
DOC 000 Dock Lock Bracing None
ICD 000 Rear Access System None
TAG 030 Tag Bracket Location Standard Location
TAGP 000 License Plate Installation None
TABE 000 Miscellaneous Text (TABE) None

Rear Doors

DRE 032 Rear Door Type 0.50" Composite Swing Door, Dual-Seal Gaskets, Galvanized Steel Cover Sheet
LRD 001 Lockrod 1 Per Door
HIN 004 Hinge per Door 4 Per Rear Door



RDH 010 Rear Door Holdback S-Link
BAC 000 Rear Door Vent None
BAE 000 Rear Vent Location None
BAI 000 Hazardous Placard None
BCW 000 Haz. Mat. Placard Location None
TABF 000 Miscellaneous Text (TABF) None

Roof Options

RBA 045 Roof Bows 1" Galvanized Steel, 24" Centers
RSA 010 Roof Sheet Aluminum
TABG 000 Miscellaneous Text (TABG) None

Floor

FTP 000 Special Floor Rating None
AAB 010 Type of Floor Hardwood, Lam. 1.38"
BDS 000 Hardwood Floor Top Finish None
UCF 9010 Hardwood Floor Undercoat Great Dane Standard (Tectyl Waterbased Primer or Equivalent)
FLB 010 Floor Brand Factory Choice
BCR 002 Quantity of Wood Floor Screws 2 Screws per Board
ACR 016 Threshold Plate HDGV Steel Diamondette, 0.125" x 24"
TABH 000 Miscellaneous Text (TABH) None

Lining / Scuffband

LNG 060 Front Lining Pine Plywood, 0.50"X48" High, 0.25" to Ceiling
LNP 000 Ceiling Lining None
BDR 000 Unit Numbers on Lining None
ABE 001 Rows of Front Scuffband 1 Row
TSM 002 Rows of Side Scuffband 2 Rows
DRH 000 Sidewall Cargo Restraint None
LGE 000 Quantity of Rows of Logistic track None
TABI 000 Miscellaneous Text (TABI) None

Scuff/Logistic Track

ABFK 571 Type of Front Scuffband 12" Flat Steel, 7 Gauge
ABLA 001 Front Scuffband Location Installed at Floor Level
ABJA 010 Front Scuffband Position Overlaid
ABRK 001 Front Scuffband Reinforcement Package Scuffband Reinforcement Package
ABFA 008 Type of Side Scuffband (Row One) 5" Extruded Aluminum Integrated With Bottom Rail
ABGA 001 Scuffband Location (Row One) Installed at Floor Level
ABFC 495 Type of Side Scuffband (Row Two) 6" Galvanized Steel, 18 gauge Roll Formed
ABGC 002 Side Scuffband Location (Row Two) Butted to lower row
TABJ 000 Miscellaneous Text (TABJ) None

Understructure

ACL 020 Upper Coupler Type 3.50" Channel
ACM 325 Bottom Plate Thickness 0.25" with Rolled-Lip
LGA 192 Landing Gear Jost A451 Magnum, No-Lube, Galvanized, 10yr Vendor Warranty
LGC 020 Landing Gear Foot / Shoe Type 10" X 10" Cushion Foot



ACB 010 Landing Gear Handle Location Roadside
LUB 000 Landing Gear Lube System No Special Lube System
BRM 000 Anti-Hook Plate None
TCA 000 Tire Carrier None
BMC 005 Crossmembers Ahead of Landing Gear Steel Hat type on 12" Centers, 2" Deep
ABT 010 Crossmembers Over Landing Gear 4" Steel I-Beam on 12" Centers
XBR 110 Bay Area Crossmembers 4" Steel I-Beam on 12" Centers
BIA 010 URG Crossmembers 4" Steel I-Beam on 12" Centers
BKE 000 Extra Crossmembers at Rear None
BLP 000 Extra URG Rail Length None
TBHH 000 Miscellaneous Text (TBHH) None

Aerodynamic Devices

AFF 000 Aerodynamic Fairings - Front, Gap Reducers None
AFFC 000 Front Fairing Color None
AFS 267 Aerodynamic Fairings - Skirts, Undercarriage Energy Guard 19' x 32"
AFSC 020 Side Fairing Color Black
AFT 000 Aerodynamic Fairings - Tails, Rear Frame Fairings None
AFTC 000 Rear Fairing Color None
TABK 000 Miscellaneous Text (TABK) None

Suspension

HGR 324 Model of Suspension Hendrickson ULTRAAX 40K
AXA 901 Axle Type Hendrickson Tapered Spindle Standard Wall
RTR 050 Integrated Wheel End Package RTR HXL5 Hendrickson Extended-Life 5-Year System
LMB 002 Locking Mechanism Air-Assist Pin Release
BES 005 Dump Valve Surelok Feature
PBA 000 Pintle Hook None
TABL 000 Miscellaneous Text (TABL) None

Rear Ramps and Mud Flaps

MUD 010 Mudflaps Great Dane, Black with Logo
MQY 001 Mudflap Quantity/Bracket Material 1-Pair
MML 010 Mudflap Mounting Location On Undercarriage
TABM 000 Miscellaneous Text (TABM) None

Brakes, Tire Inflation Systems and Wheel Ends

BRK 010 Brake Size 16.50" x 7.00"
BKC 090 Brake Actuators Great Dane Standard 2.5" Stroke
AFD 901 Brake Lining Standard Brake Lining
BST 060 Brake Shoe Type Extended Service
SLA 010 Brake Adjusters Meritor Automatic 5.50"
BSI 000 Supplemental Brake Stroke Indicator None
DSA 000 Dust Shield Type None
TWO 070 Tire-Inflation-System/Tire/Wheel Options Hendrickson TIREMAAX CP
TIP 010 Tire Inflation System Pressure Great Dane Standard Pressure Setting
APC 000 Auxiliary Pressure Check Port None



SEA 904 Wheel Seals Furnished with Integrated Wheel End System
ASN 904 Axle Spindle Nuts Furnished with Integrated Wheel End System
CAP 903 Hubcaps Hubcap To Accommodate Tire Inflation System
LBR 904 Wheel Lubricant Semi-Fluid Grease Furnished with Integrated Wheel End System
CBG 041 Anti-Lock Brakes Wabco 2S/1M iABS Standard
INF 000 ECU Monitored Option None
BLM 020 Brake Valves Great Dane Standard Spring Brake Priority
AFC 020 Air-Tank Drain Valve Manual
HYN 000 Hubodometer YN None
TABN 000 Miscellaneous Text (TABN) None

Tires / Wheels / Hubs and Drums

ACG 060 Rim/Disc Wheel Size 22.5" X 8.25"
AWE 904 Hub/Wheel And Drum Hendrickson HXL Ductile Iron Hub Piloted 10 Stud Hub With Webb Outboard Cast Drums
DUR 005 Brake Drum Balancing Supplied Balanced Only
RIM 011 Wheel Type 22.5" Steel Disc Wheel, Hub Piloted, 5HH
RMV 010 Wheel/Rim Vendor Great Dane
STU 904 Wheel Stud Options Long Studs Furnished with HXL Wheel End System
WSP 000 Wheel Spacer (Corrosion Barrier) None
ACA 295 Tire Size 295/75R 22.5
TIR 039 Tire Brand Bridgestone Ecopia R123 (G)
SPA 000 Spare Tire None
TABO 000 Miscellaneous Text (TABO) None

Electrical

ELP 129 Exterior Light Package All Lights LED, Grote Long Life Light System, AMP Connector, Grote MicroNova Dot Lamps
ECT 300 Electrical Connector Type Great Dane Standard 7-Way Solid Pin
TFL 020 Front Top Rail Lights Loc 1 Top Mounted on Front Corner at 45 Degrees; Roadside and Curbside (Canadian Requirement)
BPA 100 Buckplate Light Type Grote Series 40, LED Flange Mount
BPM 050 Buckplate Lights Qty & Loc 2 Each Side
SSR 010 Stainless Theft-Resistant Flange for LED Lamps Installed on Buckplate lamps with Stainless Rivets
RHL 021 Rear Header Light Locations Center Cluster of 3 with Dual Intensity Brake Indication
SLL 001 Top and Bottom Side Marker Lamps/Location Standard Lamp Package, 1 Each Side Top Rail @ Front, 1 Each Side Mid-ship Combination (req'd on trlrs 30' and over), 1 Each Side Bottom Rail @ Rear
MID 015 Midship Turn Signal Grote LED Combination Turn and Clearance
BPD 020 Location of Turn Signal Roadside and Curbside, Center of Trailer
BPE 010 Installation of Turn Signal Install Below Bottom rail
SUP 000 Supplemental Turn Signal None
BPC 000 Type of Supplemental Turn-Signal None
BPDA 000 Location of Supplemental Turn Signal None
BPEA 000 Installation of Supplemental turn Signal None
TABP 000 Miscellaneous Text (TABP) None

Electrical Interior

EML 000 Interior Light Quantity None
DLV 000 Interior Light Vendor/Type None



EMD 000 Interior Light Location Width-wise None
EMP 000 Interior Light Location Length-wise None
EMM 000 Interior Light Switch Qty / Type / Loc None
TABQ 000 Miscellaneous Text (TABQ) None

Finish/Paint/Decal

PTB 010 Front Finish Pre-Painted White
PTA 010 Side Finish Pre-Painted White
PTD 002 Rear Frame Finish Great Dane Gray
PTC 010 Rear Door Finish Pre-Painted White
PTK 025 Undercarriage / Frame Finish Black Undercoat
PTN 015 Wheel Finish White Powder Coat
PUC 010 Upper Coupler Finish Great Dane Standard Coating
PTL 060 Landing Gear Finish Hot Dip Galvanized Wingplates, Fore/Aft Bracing K Brace, Cross Shaft, and Legs
PUR 010 Upper Running Gear Finish Great Dane Standard Coating
FGJ 110 Conspicuity Treatment Location Great Dane on Side Sheet
GDL 002 Manufacturer's Logo Installation Red Logos
CFD 000 Installation Of Customer Decals None
BDU 000 Exterior Unit Numbers None
TABR 000 Miscellaneous Text (TABR) None

Calculated Values

PRL 001 Production Line Dry Production Line 1
CPLRPN 010 Coupler PN 10200271-000001 3.50, 0.25 Btm Plt, 36KP, Painted
CCY 026 CARB Compliance Year 2026

Insulation

BCJ 000 Floor Insulation None

Geometric Dimensions

DPD 000 Drop Depth None

Calculated Values

ZSDYN 000 Side Door Y/N No

Rear Liftgate

BDV 000 Liftgate Preparation None

Lining / Scuffband

LNH 000 Side Lining No Side Lining

Suspension

BKT Brake Type 010_drum

Rear Ramps and Mud Flaps

DSE 000 Walkramp at Rear None

Line Item 1

FG Item: 272181410

Configuration Reference #: C-228723

Mode of Transportation: Customer Pick-Up

Qty: 25

