



Order #: 176053-1

JDE Order ID: 178786

Order Revision #: 1

Dealer/Customer: GREAT DANE

Customer #: 402217

Equipment #

Min Unit #:

Max Unit #:

Order Created Date: 11/17/2025

Requested Date: 02/13/2026

Dealer/Branch P.O: Ir

Customer P.O: Ir

Salesman: Lisa Roberts

Order Notes:

Itm	Qty	Description	FG Item Number	Model #	Reference #
1	10	Copy of C-216897	272160436	ESS-1114-31053	C-218078

Product

GD_PRODUCT B0100702 Product ESS - Everest Super Seal Reefer

PLT 216 Manufacturing Plant Wayne, NE

MODEL_YEAR 027 Model Year 2027

Geometric Dimensions

CGHG 020 CARB/CA Phase 2 GHG CARB/GHG2 compliance not required.

TOP 000 Topco Membership Not a TOPCO Member

PKS 000 Packaged Options None

KAC 015 Serial Identification Canadian and U.S. Certification

OAH 162 Overall Height 13' 6"

OAL 636 Overall Length 53' 0"

OAW 102 Overall Width 102.36"

UCH 470 Upper Coupler Height 47"

KPL 036 Kingpin Location 36.00"

LGL 104 Landing Gear Location 105.0" From Kingpin

WED 300 Wedge 3.00" Wedge

UND 231 Undercarriage Design Tandem Axle, Slide Air-Ride Suspension, 49" Axle Centers

TABA 000 Miscellaneous Text (TAB A) None

Front

FBC 015 Front Corner Type 6" Extruded Aluminum Radius

FRC 045 Front Corner Sheet Stainless Steel 0.021"

FST 050 Front Sheets Aluminum, 0.040"

FUP 070 Front Upright Zee, Aluminum, 1.63"

FVO 000 Front Vents None

FRB 000 Quantity and Type of Front Vent None

BGC 000 Vent Screens None



FRD 000 Location of Front Vent None

ECL 010 Electrical Connector and Gladhand Location Offset Roadside, Overlaid

BDN 002 Hose Couplers (Gladhands) Great Dane Control and Supply with Urethane Seals

IAF 000 In-Line Air Filter None

DCH 020 Document Holder Great Dane Standard with Logo At Roadside Front

AWG 000 Additional Manifest Box None

AWH 000 Additional Manifest Box Location None

TABB 000 Miscellaneous Text (TABB) None

Telematics

TKS 065 Telematics / Tracking System FleetPulseGo Track

TKSA 000 Alternative Telematics System . . .

TKSI 020 Telematics System Install and Commission Factory Furnished and Factory Commissioned

TID 010 Telematics System Installation Detail Great Dane Standard Location

TPS 000 Telematics / Tracking Power Supply . . .

Side Exterior and Structural

SSA 040 Side Sheet Material Aluminum, 0.040"

SSD 010 Side Sheet Texture Flat

UPR 070 Side Post Type Jay, Aluminum 1.13"

APR 075 Side Post Spacing 12/16/24" Centers

RIV 010 Bottom Rail Fasteners 0.38" Aluminum Rivets

DSR 000 Rub Rail Type None

DST 000 Rub Rail Location None

EXT 000 External Protection Package (Lift Pads) None

TABC 000 Miscellaneous Text (TABC) None

Rear

DRB 026 Rear Frame Type Stainless Steel Swing Door Frame

HDR 030 Header Type 4" Header

RPP 000 Rear Corner Post Lamp Protection None

BDVY 000 Rear Liftgate None

BPL 030 Rear Bumpers Rubber Dock Bumper

DVR 020 Bars Between Buckplate Lamps Install Stainless Steel Vertical Bars Between Each Tail Lamp

ICC 016 Rear Impact Guard Hot Dip Galvanized Steel Rear Impact Guard Bolt on Vertical Weld On Horizontal

ICD 009 Rear Access System Handhold Roadside Door (CUSTOMER REQUIRES Intermediate Channel)

TAG 030 Tag Bracket Location Standard Location

TAGP 000 License Plate Installation None

TABE 000 Miscellaneous Text (TABE) None

Rear Doors

DRE 240 Rear Door Type Frame Type Swing With Triple Seal Gasket And Stainless Steel Diamond Pattern Finish Cover Sheet With Riveted Braces

LRD 001 Lockrod 1 Per Door

HIN 005 Hinge per Door 5 Per Rear Door

RDH 015 Rear Door Holdback Standard

FDJ 001 Floor-Door Jamb Standard

BJS 470 Type of Scuffband on Rear Door Aluminum, 0.188" Smooth 16"



BJT 001 Rear Door Scuffband Location Installed at Bottom of Swing Door

BJU 001 Rear Door Scuffband Position Overlaid on Swing Door

BEJ 000 Inside Safety Release Without Inside Safety Release

BAC 020 Rear Door Vent One Swing Vent 5" X 15" Opening

BAE 010 Rear Vent Location Lower Curbside

BGCA 005 Rear Door Vent Screen With Screen

BAI 000 Hazardous Placard None

BCW 000 Haz. Mat. Placard Location None

ERCR 000 ERC Switch (Rear) None

TABF 000 Miscellaneous Text (TABF) None

Roof Options

RBA 105 Roof Bows 1.13" Roof Bows on 32" Centers

RSA 010 Roof Sheet Aluminum

TABG 000 Miscellaneous Text (TABG) None

Floor

AAB 100 Type of Floor Alum Reefer Cargo 1.32" Heavy Duty Conc Load Safety Grip

FRG 010 Front And Rear Floor Gutter Install Front Gutters And Front Drains, Install Rear Gutters And Rear Drains

DPO 010 Reefer Rear Threshold / Dockplates (5) Smooth Aluminum Dock Plates Over Rear Gutter

GAC 024 Reefer Floor Inserts 44" Long Inserts Full-Width of Floor

TABH 000 Miscellaneous Text (TABH) None

Lining / Scuffband

LNH 135 Side Lining 0.070" PunctureGuard

AMH 010 Anti-Microbial Protection - Side With Microban antimicrobial technology

LNG 131 Front Lining 0.060" Punctureguard

AMG 010 Anti-Microbial Protection - Front With Microban antimicrobial technology

LNP 193 Ceiling Lining 0.060" Punctureguard

AMP 010 Anti-Microbial Protection - Ceiling With Microban antimicrobial technology

LNK 131 Rear Door Lining 0.060" Punctureguard

AMK 010 Anti-Microbial Protection - Rear Door With Microban antimicrobial technology

BDR 000 Unit Numbers on Lining None

ABE 000 Rows of Front Scuffband None

TSM 001 Rows of Side Scuffband 1 Row

LGE 000 Quantity of Rows of Logistic track None

TABI 000 Miscellaneous Text (TABI) None

Scuff/Logistic Track

ABFA 020 Type of Side Scuffband (Row One) 16" High Integral Extruded Aluminum

ABGA 001 Scuffband Location (Row One) Installed at Floor Level

ABHA 002 Side Scuffband Position (Row One) Recessed on Sidewall

TABJ 000 Miscellaneous Text (TABJ) None

Understructure

ACL 040 Upper Coupler Type 4.25" Channel

ACM 320 Bottom Plate Thickness 0.25" with Tapered Approach and Rolled-Lip

LGA 192 Landing Gear Jost A451 Magnum, No-Lube, Galvanized, 10yr Vendor Warranty



LGC 020 Landing Gear Foot / Shoe Type 10" X 10" Cushion Foot
LGI 003 Landing Gear Bracing 'K' Bracing
LGH 010 Special Landing Gear Wing Plate Carbon steel mounting plates
ACB 010 Landing Gear Handle Location Roadside
LUB 000 Landing Gear Lube System No Special Lube System
BAF 000 Front Tire Protector Plates None
TCA 000 Tire Carrier None
BMC 050 Crossmembers Ahead of Landing Gear Aluminum Hat Type on 12" Centers
ABT 010 Crossmembers Over Landing Gear 4" Steel I-Beam on 12" Centers
XBR 050 Bay Area Crossmembers 5" Aluminum I-Beam on 12" Centers
BIA 010 URG Crossmembers 4" Steel I-Beam on 12" Centers
BKE 201 Extra Crossmembers at Rear 6" centers Last 3' of Trailer (1 extra)
BLP 002 Extra URG Rail Length Add 2'
BDG 000 Rear Tire Protector Plates None
TBHH 000 Miscellaneous Text (TBHH) None

Aerodynamic Devices

AFS 271 Aerodynamic Fairings - Skirts, Undercarriage Energy Guard 22'17" x 32"
AFSC 020 Side Fairing Color Black
AFT 000 Aerodynamic Fairings - Tails, Rear Frame Fairings None
AFTC 000 Rear Fairing Color None
TABK 000 Miscellaneous Text (TABK) None

Suspension

HGR 324 Model of Suspension Hendrickson ULTRA4K 40K
AXA 901 Axle Type Hendrickson Tapered Spindle Standard Wall
RTR 050 Integrated Wheel End Package RTR HXL5 Hendrickson Extended-Life 5-Year System
RLS 000 Removable Location Stop Bar None
LMB 002 Locking Mechanism Air-Assist Pin Release
BES 005 Dump Valve Surelok Feature
PBA 000 Pintle Hook None
TABL 000 Miscellaneous Text (TABL) None

Rear Ramps and Mud Flaps

MUD 010 Mudflaps Great Dane, Black with Logo
MQY 001 Mudflap Quantity/Bracket Material 1-Pair
MML 010 Mudflap Mounting Location On Undercarriage
TABM 000 Miscellaneous Text (TABM) None

Brakes, Tire Inflation Systems and Wheel Ends

BRK 010 Brake Size 16.50" x 7.00"
BKC 050 Brake Actuators Haldex 3030 Gold Seal Plus 2.5" Stroke
AFD 901 Brake Lining Standard Brake Lining
BST 060 Brake Shoe Type Extended Service
SLA 010 Brake Adjusters Meritor Automatic 5.50"
BSI 000 Supplemental Brake Stroke Indicator None
DSA 000 Dust Shield Type None



TWO 080 Tire-Inflation-System/Tire/Wheel Options Hendrickson TIREMAAX PRO
TIP 010 Tire Inflation System Pressure Great Dane Standard Pressure Setting
APC 000 Auxiliary Pressure Check Port None
SEA 904 Wheel Seals Furnished with Integrated Wheel End System
ASN 904 Axle Spindle Nuts Furnished with Integrated Wheel End System
CAP 903 Hubcaps Hubcap To Accommodate Tire Inflation System
LBR 904 Wheel Lubricant Semi-Fluid Grease Furnished with Integrated Wheel End System
CBG 044 Anti-Lock Brakes Wabco 2S/1M iABS Premium
INF 000 ECU Monitored Option None
BLM 060 Brake Valves Tramec Spring Brake Priority
AFC 020 Air-Tank Drain Valve Manual
HYN 000 Hubodometer YN None
TABN 999 Miscellaneous Text (TABN) SURPLUS INVENTORY: BRAKE ACTUATORS HALDEX 3030 GOLD SEAL PLUS 2.5" STROKE, GD #40500429

Tires / Wheels / Hubs and Drums

ACG 060 Rim/Disc Wheel Size 22.5" X 8.25"
AWE 904 Hub/Wheel And Drum Hendrickson HXL Ductile Iron Hub Piloted 10 Stud Hub With Webb Outboard Cast Drums
DUR 005 Brake Drum Balancing Supplied Balanced Only
RIM 081 Wheel Type 22.5" Steel Disc Wheels With Aluminum Disc Wheels Outboard, Hub Piloted
RMV 190 Wheel/Rim Vendor Great Dane Steel/Great Dane Aluminum
STU 904 Wheel Stud Options Long Studs Furnished with HXL Wheel End System
WSP 020 Wheel Spacer (Corrosion Barrier) Spacer between Inner and Outer Disc Wheels
ACA 022 Tire Size 11R 22.5
TIR 039 Tire Brand Bridgestone Ecopia R123 (G)
SPA 000 Spare Tire None
TABO 000 Miscellaneous Text (TABO) None

Electrical

ELP 129 Exterior Light Package All Lights LED, Grote Long Life Light System, AMP Connector, Grote MicroNova Dot Lamps
ECT 300 Electrical Connector Type Great Dane Standard 7-Way Solid Pin
TFL 020 Front Top Rail Lights Loc 1 Top Mounted on Front Corner at 45 Degrees; Roadside and Curbside (Canadian Requirement)
BPA 100 Buckplate Light Type Grote Series 40, LED Flange Mount
BPM 070 Buckplate Lights Qty & Loc 3 Each Side, Stop/Tail/Red Turn
SSR 010 Stainless Theft-Resistant Flange for LED Lamps Installed on Buckplate lamps with Stainless Rivets
RHL 130 Rear Header Light Locations Center Cluster of 3 with 1 Each Side Outboard Corner, Dual Intensity Brake Indication
SLL 005 Top and Bottom Side Marker Lamps/Location 5 Each Side Top and Bottom Rail Evenly Spaced
MID 015 Midship Turn Signal Grote LED Combination Turn and Clearance
BPD 020 Location of Turn Signal Roadside and Curbside, Center of Trailer
BPE 010 Installation of Turn Signal Install Below Bottom rail
SUP 000 Supplemental Turn Signal None
BPC 000 Type of Supplemental Turn-Signal None
BPDA 000 Location of Supplemental Turn Signal None
BPEA 000 Installation of Supplemental turn Signal None
FPS 000 Filler Plate Size None



TABP 000 Miscellaneous Text (TABP) None

Electrical Interior

EML 000 Interior Light Quantity None

DLV 000 Interior Light Vendor/Type None

EMM 000 Interior Light Switch Qty / Type / Loc None

TABQ 000 Miscellaneous Text (TABQ) None

Finish/Paint/Decal

PTB 150 Front Finish Pre-Painted White W/Ultra Road Shield

PTBA 100 Front Finish, Front Corner Sheet Stainless Steel

PTA 150 Side Finish Pre-Painted White W/Ultra Road Shield

DUS 000 Rivet Color Unpainted

PUA 000 Top Rail Paint None

PTJ 000 Bottom Rail Paint None

PTD 000 Rear Frame Finish None (Stainless Steel)

PTC 090 Rear Door Finish Stainless Steel

PTK 025 Undercarriage / Frame Finish Black Undercoat

PTN 080 Wheel Finish White Steel, Standard Finish Aluminum Outboard

PUC 010 Upper Coupler Finish Great Dane Standard Coating

PTL 060 Landing Gear Finish Hot Dip Galvanized Wingplates, Fore/Aft Bracing K Brace, Cross Shaft, and Legs

PUR 010 Upper Running Gear Finish Great Dane Standard Coating

FGJ 111 Conspicuity Treatment Location Great Dane on Bottom Rail

GDL 002 Manufacturer's Logo Installation Red Logos

MBL 010 Microban Logo Installation Great Dane Standard

CFD 000 Installation Of Customer Decals None

BDU 000 Exterior Unit Numbers None

TABR 000 Miscellaneous Text (TABR) None

Insulation

BCE 010 Front Insulation 3.50" Urethane

BCH 030 Side Insulation 2.00" Urethane

BCI 005 Roof Insulation 2.00" Urethane

BCK 010 Rear Door Insulation 3.00" Urethane

BCJ 010 Floor Insulation 2.00" Urethane

GAD 020 Subfloor Type 0.040" Great Dane GRPP (Glass-Reinforced-Polypropylene)

BFI 040 Floor Sills Composite

TABS 000 Miscellaneous Text (TABS) None

Controlled Temperature Unit

NMR 030 Preparation for Nose Mounted Unit No Unit Installation, Brace and Cut Hatch

NMU 220 Type of Nose Mounted Unit Thermo King Precedent (Large Opening)

SKC 010 Unit Position Standard

BEA 000 Quantity of Ceiling Evaporators None

TABT 000 Miscellaneous Text (TABT) None

Controlled Temperature Accessories

FTC 013 Fuel Tank Capacity Prep for Future 50 Gallon



FTD 010 Fuel Tank Location Roadside Undermount, Width-Wise

BRU 000 Battery None

INL 000 Refrigeration Remote Indicator Lights None

DUA 000 Refrigeration Unit Duct And Transition None

ESC 000 Prep Location for Electric Standby Cable None

RCP 000 Remote Control Panel None

TABV 000 Miscellaneous Text (TABV) None

Bulkheads, Air Return

BLK 000 Bulkhead/Air Return None

DMS 000 Factory Furnished Pallet Stops Air Return None

EABA 000 First Movable Bulkhead Supplier None

EABB 000 Second Moveable Bulkhead Supplier None

PAR 000 Center Partitions and Preparation None

TABW 000 Miscellaneous Text (TABW) None

Calculated Values

PRL 000 Production Line Production Line To Be Determined

CPLRPN 340 Coupler PN 10200276-000012 4.25, 0.25 Tpr Btm Plt, 36KP, ESS, Painted

ZCAT 010 Reefer Sub-Category Truckload

CCY 026 CARB Compliance Year 2026

Geometric Dimensions

DPD 000 Drop Depth None

Calculated Values

ZSDYN 000 Side Door Y/N No

Rear Liftgate

BDV 000 Liftgate Preparation None

Floor

FTP 000 Special Floor Rating None

Suspension

BKT Brake Type 010_drum

Rear Ramps and Mud Flaps

DSE 000 Walkramp at Rear None

Remote Evaporators

BEIA 000 First Ceiling Evaporator Protector None

BEIB 000 Second Ceiling Evaporator Protector None

Line Item 1

FG Item: 272160436

Configuration Reference #: C-218078

Mode of Transportation: Customer Pick-Up

Qty: 10



Miscellaneous Text (TABN) - SURPLUS INVENTORY: BRAKE ACTUATORS HALDEX 3030 GOLD SEAL PLUS 2.5" STROKE,
GD #40500429

EENID-1

BOMID-785834

CPQ-